Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	490	(pseudo-random with table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 12:41
L2	0	(pseudo-random with table) and (psudo-random with reversible)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 12:42
L3	42	(pseudo-random with table) and (block with (input and output))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 13:44
L4	0	(pseudo-random with table) and (one-to-one with block with (input and output))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 13:45
L5	0	(pseudo-random) and (one-to-one with block with (input and output))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 13:46
L6	44	(one-to-one with block with (input and output))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 13:47
L7	0	(one-to-one with block with (input and output)) and (divide with input with blocks)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 13:47
L8	32	(one-to-one with block with (input and output)) and (input with blocks)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 13:47
L9	0	(one-to-one with block with (input and output)) and (input with blocks) and pseudo-random	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 13:48
L10	32	(one-to-one with block with (input and output)) and (input with blocks)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:08

L12	0	(one-to-one with block with (input and output)) and (input with blocks) and pseudo-random	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:08
L13	0	(one-to-one with block with (input and output)) and pseudo-random	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:08
L14	44	(one-to-one with block with (input and output))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:20
L15	19	(one-to-one with block with (input and output)) and random	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:09
L16	7	(one-to-one with block with (input and output)) and random and ("380"/$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:12
L17	0	(concatenating with block with ouput)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:17
L18	0	(concatenat$ with block with ouput)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:17
L19	2	(concatenat$ with ouput)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:17
L20	0	(combining with ouput with block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:18
L21	0	(concatenate with ouput with block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:18

L22	2960	(concatenat$ with output)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:19
L23	290	(concatenat$ with output with block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:21
L24	1	l14 and l23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:20
L25	27	(concatenat$ with output with block) and ("380"/$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:26
L26	9	(concatenat$ with output with block) and ("380"/$).ccls. and pseudo-random	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:21
S1	3692	((key or prefixes) with (data with values))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 10:49
S2	124	((key or prefixes) with (data with values)) and (pseudo-random)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 10:49
S3	0	((key or prefixes) with (data with values)) and (pseudo-random with one-to-one)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 10:49
S4	27	((key or prefixes) with (data with values)) and (function with one-to-one)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 10:50
S5	0	((key or prefixes) with (data with values)) and (function with one-to-one) and pseudo-random	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 10:50

S6	23	((key or prefixes) with (data with values)) and (function with one-to-one) and random	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 10:57
S7	0	((key or prefixes) with (data with values)) and (pseudo-random with function with one-to-one) and random	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 10:57
S8	2	(pseudo-random with function with one-to-one)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 10:59
S9	1	(pseudo-random with functions with one-to-one)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 11:30
S10	0	(reversible with pseudo-random with transformation).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 11:31
S11	0	(reversible with pseudo-random with transformation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 11:31
S12	28	(reversible with pseudo-random)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 11:32
S13	5	(reversible with pseudo-random) and ("380"/$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 12:41